

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|--|---|------------------|---------|------------------|
| S7 | 1 | "20050205281" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 09:40 |
| S8 | 245129 | solder | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 13:18 |
| S9 | 3026081 | wire cable conductor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 09:40 |
| S10 | 49363 | S8 with S9 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 09:41 |
| S11 | 416394 | fireproof fire | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 09:41 |
| S12 | 1294 | S10 and S11 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 09:41 |
| S13 | 1551246 | thermal\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 09:41 |
| S14 | 628 | S12 and S13 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 09:41 |
| S15 | 5045576 | separat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 09:42 |
| S16 | 70681 | S13 with S15 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 09:42 |
| S17 | 60 | S14 and S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 09:42 |
| S18 | 6 | ("3573565" "3579061" "3619742" "4635163" "4748536" "4791529").PN. OR ("5638250").URPN. | US-PGPUB; USPAT; USOCR | OR | ON | 2005/11/09 09:56 |

| | | | | | | |
|-----|---------|---|---|----|----|------------------|
| S19 | 52 | 361/275.4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 14:03 |
| S20 | 59916 | coax\$6 adj cable | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 13:17 |
| S21 | 245129 | solder | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 13:18 |
| S22 | 3026081 | wire cable conductor | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 13:18 |
| S23 | 49363 | S21 with S22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 13:18 |
| S24 | 416394 | fireproof fire | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 13:18 |
| S25 | 1294 | S23 and S24 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 13:18 |
| S26 | 37 | S25 and S20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 13:19 |
| S27 | 3 | S19 and coax\$ | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 14:04 |
| S28 | 98 | 361/282 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 14:03 |
| S29 | 19 | S28 and coax\$ | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 14:04 |
| S30 | 19 | S29 not S27 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 14:16 |
| S31 | 1622 | thermal and coax\$ and (spring coil) and (fire fireproof) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 14:27 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S32 | 124 | S31 and solder | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 14:27 |
| S33 | 233 | thermal and (coax\$ with cable) and (spring coil) and (fire fireproof) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 14:27 |
| S34 | 36 | S33 and solder | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/09 14:31 |
| S35 | 1029 | capacitor with fuse and computer | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/14 08:02 |
| S36 | 187 | S35 and hardware | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/11/14 08:02 |